According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Trade name: PROTON PROFESSIONAL STENCIL PRIMER PINK

Revision date: 17/01/2022 Version: 1st Date of printing: 17/01/2022 Page: 1 of 8

SECTION 1: Identification of the substance or mixture and of the company or firm

1.1. Product identifier

Trade name

PROTON PROFESSIONAL STENCIL PRIMER PINK

1.2. Relevant identified uses of the substance and uses advised against

Identified uses

Transfer liquid. Cosmetic product.

Instructions for use: Apply a small amount of Stencil Proton on the skin, spread it over the area to apply the decal with circular and energetic movements, immediately place the stencil and press to adhere properly, remove and wait 10 minutes to start tattooing.

: Not known.

Not recommended uses

: TATTOO PROTON S.L.

1.3. Details of the supplier of the safety

data sheet

· C/ Real 44

Address

24398 Congosto (León) - Spain

: +34 644 654 623

Telephone number

: Europe@tattooproton.com

E-mail address of the person responsible for the SDS

Tel.: +34 644 654 623

1.4. Emergency telephone

Monday to Friday - office hours.

Availability

SECTION 2: Hazards identification

2.1. Classification of the substance or

mixture

Product definition : Mixing.

CLP Classification

: Not classified as hazardous according to Regulation (EC) No. 1272/2008 (CLP).

2.2. Label elements

CLP labeling

: Not applicable.

Specific labeling

: See section 15.1 of this safety data sheet.

2.3. Other hazards

Compliance with PBT or vPvB criteria : The product does not contain substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components:

Chemical Name / INCI	Content (% by weight)	CAS NO.	EC NO.	Index No.	REACH Registrat ion No.	CLP* classification	Specific concentration limits
Isopropyl Alcohol	2	67-63-0	200-661-7	603-117- 00-0	-	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	-
Sodium Benzoate	1	532-32-1	208-534-8	-	01-2119460683-35 - XXXX	Eye Irrit. 2 H319	1

^{*}Full text of hazard statements (H): see section 16.

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Trade name: PROTON PROFESSIONAL STENCIL PRIMER PINK

Revision date: 17/01/2022 Version: 1st
Date of printing: 17/01/2022 Page: 2 from 8

4.1. First aid description	
General notes	In cases of doubt, or when symptoms persist, seek medical attention.
In case of inhalation	Supply fresh air. Seek medical attention if necessary.
In case of skin contact	: None required.
In case of contact with eyes	Immediately flush with plenty of water (for 10 minutes) keeping eyelids apart. Seek medical attention if necessary.
In case of ingestion	Do not induce vomiting. DO NOT give anything to an unconscious person. Seek medical advice.
Protection of the first aid provider	Unidentified.
4.2. Main symptoms and acute and delayed effects	Unidentified.
4.3. Indication of any medical care and special treatments that the patient may require. should be dispensed immediately	Symptomatic treatment.

SECTION 5: Fire fighting measures

Extinguishing media	
Suitable extinguishing media	Use water spray, foam, dry chemical powder or carbon dioxide.
Unsuitable extinguishing media	Do not use powerful water flows.
5.2. Specific hazards arising from the substance or mixture	
Fire hazard	The product is non-flammable.
Danger of explosion	: None.
Hazardous combustion products	In case of fire, hazardous fumes (COx) may be produced.
5.3. Recommendations for firefighting personnel	In case of fire, wear personal respiratory protective equipment. Firefighters should wear fire resistant protective equipment.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures.	
For non-emergency services personnel	Wear gloves and protective clothing. Warn the affected environment.
For emergency personnel	Wear gloves and protective clothing. Warn affected environment. Evacuate the area.
6.2. Environmental precautions	Prevent the product from reaching rivers, lakes or sewage systems.
6.3. Methods and material for containment and cleanup	Remove spillage with absorbent material. Wash the residues with plenty of water.

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Trade name: PROTON PROFESSIONAL STENCIL PRIMER PINK

Revision date: 17/01/2022 Version: 1st Date of printing: 17/01/2022 Page: 3 from 8

Reference to other sections

For more information see sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for Safe Handling Protection and prevention Open and handle the product with caution. Use the protective measures indicated in section 8. Avoid spilling on the floor. The product may be slippery. measures Do not eat, drink or smoke while handling the product. Wash hands after handling the product. General recommendations on occupational hygiene measures Store in a cool, dry and well-ventilated place. Keep container tightly closed. Keep away from sunlight. 7.2. Storage conditions insurance, including possible incompatibilities For external use only. 7.3. Specific end uses

SECTION 8: Exposure controls/personal protection

National occupational exposure limit values

The available data of the hazardous components of the mixture are presented:

Identification	Professional exp.	Country	
	8 hours	Short term	
Isopropyl Alcohol CAS: 67-63-0	200 ppm; 500 mg/m ³	400 ppm; 1000 mg/m ³	Spain

DNELs and PNECs

DNELs and PNECs values are not available for the mixture itself.

Exposure controls Appropriate

engineering controls

Avoid spilling on the floor. Product may be slippery.

Individual protection measures, such as personal protective equipment

Eye/face protection Skin

protection Hand protection

Respiratory protection **Environmental exposure controls** Not required under normal conditions of use.

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	B
Appearance	Pink viscous liquid,
Odor	Not applicable Not applicable.
Olfactory threshold	пот аррисавте.

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Trade name: PROTON PROFESSIONAL STENCIL PRIMER PINK

Revision date: 17/01/2022 Version: 1st Date of printing: 17/01/2022 Page: 4 from 8

Not available / Not applicable. рΗ Not available/ Not applicable. Melting point / freezing point

Not available / Not applicable. Initial boiling point and boiling

range

TEMPERATURE: >61°C. Non-flammable. Flash point

Not available / Not applicable. **Evaporation rate**

Non-flammable. **Flammability**

Not available/ Not applicable. Upper/lower flammability or

explosion limits

Not available / Not applicable. Vapor pressure

Not available / Not applicable. Vapor density

Relative density Not available / Not applicable.

Soluble in water. Solubility

Partition coefficient n-

octanol/water

Not available / Not applicable.

Non self-flammable. Auto-ignition temperature

Not available / Not applicable. **Decomposition temperature**

Viscosity : Viscous. Non explosive. **Explosive properties**

Oxidizing properties No oxidizing properties-9.2. Additional information No additional information-

SECTION 10: Stability and reactivity

40.4. Departicular, of the authorizance on majorizance

10.1. Reactivity of the substance of mixture	See section 10.3.		
10.2. Chemical stability	Stable product under normal conditions of use.		
10.3 Possibility of hazardous reactions	No donos o o o eferca la com		

10.3. Possibility of hazardous reactions No dangerous reactions known.

10.4. Conditions to avoid Avoid high temperatures, keep away from sunlight.

10.5. Incompatible materials Strong oxidizing agents

In case of fire: see section 5. Hazardous decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

a) Acute toxicity

Data available on the hazardous components of the mixture:

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Trade name: PROTON PROFESSIONAL STENCIL PRIMER PINK

Revision date: 17/01/2022 Version: 1st
Date of printing: 17/01/2022 Page: 5 from 8

Identification	Exposure pathway	Effective dose	Species
Isopropyl Alcohol	Oral	LD50 = 5 840 mg/kg	Rat
CAS: 67-63-0	Inhalation	LC50 = 25 000 mg/m ³	Rat
	Cutaneous	13 900 mg/kg bw	Rabbit
Sodium Benzoate	Oral	LD50 > 2000 mg/kg	Rat
CAS: 532-32-1	Inhalation	LC50 >12200	Rat
	Oral	mg/m3	Rabbit
		LD50 > 2000 mg/kg	

Estimated mixture data:

ATEmix (oral) > 2000 mg/kg ATEmix (dermal) > 20000 mg/kg Conclusion: Not classified.

b) Skin corrosion or irritation

c) Serious eye damage or eye irritation

d) Respiratory or skin sensitization

e) Mutagenicity in germ

f) Carcinogenicity

g) Reproductive toxicity

h) Specific target organ toxicity (STOT) - single exposure

i) Specific target organ toxicity (STOT) - repeated exposure

j) Aspiration hazard

: Not classified.

: Not classified.

: Not classified.

. Hot oldoomod

: Not classified.

SECTION 12: Ecological information

12. Toxicity

Data available on the hazardous components of the mixture:

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Trade name: PROTON PROFESSIONAL STENCIL PRIMER PINK

Revision date: 17/01/2022 Version: 1st
Date of printing: 17/01/2022 Page: 6 of 8

Identification	Туре	Effective dose	Species
Isopropyl Alcohol	Fish Aquatic	LC50 = 9640-10000 mg/l/96h	Pimephales promelas
CAS: 67-63-0	invertebrates	LC50 >10000 mg/l/24h	Daphnia magna
	Aquatic plants	LC3 = 1800 mg/l/7d	Scenedesmus quadricauda
	Fish	LC50 = 484 mg/l/96h	Pimephales promelas
O di un Demendo	1 1511	NOEC = 10 mg/L	Danio rerio
Sodium Benzoate	Aguatic invertebrates	LC50 >100 mg/l/96h	Daphnia magna
CAS: 532-32-1	Aquatic Plants	EC50 >30.5 mg/l/72h	Pseudokirchnerella subcapitata
	Aquatic Flants	NOEC = 0.09 mg/l/72h	Pseudokirchnerella subcapitata

12.2. Persistence and degradability

No information is available on the persistence and degradability of the product.

12.3. Bioaccumulation potential

Bioaccumulation: No information on bioaccumulation is available.

12.4. Mobility on the ground

No information on soil mobility is available.

12.5. PBT and vPvBm assessment results

The product does not contain substances classified as PBT or vPvB.

12.6. Other adverse effects

: Not known.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Appropriate methods for the disposal of residues of the substance/mixture

Appropriate methods for disposal of contaminated containers

Dispose of in accordance with local/national regulations. Do not dispose by direct discharge into rivers or sewers.

Handle contaminated containers as well as the product itself.

SECTION 14: Transport information

	ADR/RID	AND/ADNR	IMDG	IATA
14.1. UN Number				
14.2. United Nations proper shipping name				
14.3. Transport hazard class(es)	The produ	uct is not classified as	hazardous for transpo	rt.
14.4. Packing group				
14.5. Hazards to the environment				

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Trade name: PROTON PROFESSIONAL STENCIL PRIMER PINK

Revision date: 17/01/2022 Version: 1st Date of printing: 17/01/2022 Page: 7 from 8

14.6. Special precautions for us	isers
----------------------------------	-------

14.7. Transport in bulk according to Annex II of the Marpol 73/78 Convention and the IBC Code

SECTION 15: Regulatory information

15.1. Specific safety, health and environmental regulations and legislation for the substance or mixture

EU Regulations

REACH Authorizations

The product does not contain substances that are on the list of candidate products for SVHC, nor

on Annex XIV of REACH.

REACH Restrictions on Use

Cosmetics regulation

The product does not contain substances listed in Annex XVII of REACH.

The product complies with Regulation (EC) 1223/2009 on cosmetic products. The

product must be labeled according to Chapter VI, Article 19.

List of ingredients: Aqua, Propylene Glycol, Glycerin, Carbomer, Triethanolamine,

Isopropyl Alcohol, Sodium Benzoate, Ci 42090.

National Regulations

The product complies with Royal Decree 1599/1997, which regulates cosmetic products.

15.2. Chemical safety assessment

Chemical safety assessment: A chemical safety assessment has not been performed for the

product.

SECTION 16: Other information

Modifications with respect to the previous file	This is the first version of SDS. The format has been adapted to the requirements of EU Regulation 2015/830, which amends Annex II of the REACH Regulation.
Acronyms and Acronyms	SDS: Safety Data Sheet PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and very Bioaccumulative DNEL: Derived Non-Effect Level PNEC: Predicted no-effect concentration SVHC: Substances of Very High Concern. ATEmix: Estimation of the acute toxicity of the mixture.
Data sources	Material Safety Data Sheets of the components of the mixture. https://echa.europa.eu/es/ https://ec.europa.eu/growth/tools-databases/cosing/ https://limitvalue.ifa.dguv.de/
Full text of hazard statements (H)	H225: Highly flammable liquid and vapors.

H319: Causes serious eye irritation. H332:

Harmful if inhaled.

H336: May cause drowsiness or dizziness.

H373: May cause damage to organs through prolonged or repeated exposure.

Recommendations for employee training

It must provide workers with specific information and training in the field of safety.

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Trade name: PROTON PROFESSIONAL STENCIL PRIMER PINK

Revision date: 17/01/2022 Version: 1st Date of printing: 17/01/2022 Page: 7 of 8

NOTES

This information relates only to the product described in this data sheet and may not be valid if used in conjunction with other product(s) or in any process. The information presented is based on our best current level of knowledge and is provided in good faith but cannot be guaranteed or warranted as to its accuracy or reliability. It is a guide to the safe handling, use, processing, storage, transportation and disposal of this substance and should not be considered a warranty or quality specification.